DEWALT®

DEWALT
XR
XR
5AH

NEWS

MAY – AUGUST 2025

OUR MOST POWERFULL 18V METALCUTTING CIRCULAR SAW

READ MORE INSIDE

- NEW 54V SAFETY HANDLE ANGLRE GRINDER
- NEW USB-C CROSS LINE LASERS
- NEW ELECTRICIAN PLIERS
- NEW 18V COMPACT ANGLE GRINDERS
- MCLAREN F1 SPONSORSHIP WITH DEWALT PRODUCTS 2025

PERFORMANCE REDEFINED™

XR®

OUR BEST PERFORMING

18V

POWER TOOLS

LITHIUM ION
DEWALT
8AH
DEWALT
18V 5AH
XR
POWER STACK

GUARANTEED TOUGH.®

DEWALT
XR
DEWALT EXTREME
8AH
DEWALT 18V 5AH XR
POWER STACK
LITHIUM ION

https://cee.DEWALT.global

18V XR POWERSTACK TWINPACK 3,5 AH

DCB318S2

LITHIUM ION
POWER STACK
DEWALT
XR
18V

18V XR

POWERSTACK™

DEWALT 3 YEAR GUARANTEE

Introducing our advanced pouch battery cells, designed to deliver unmatched power, performance, and longevity. With a 3.5Ah capacity, these compact packs are perfect for applications that demand both efficiency and extended runtime. The enhanced size meets the growing need for superior performance without compromising on space. Our batteries feature a premium rubber overmold for added protection and a luxurious feel. Experience less heat buildup and reduced cell resistance, ensuring your battery runs cooler and lasts longer. Plus, enjoy full compatibility with the 18V XR system. Elevate your tools' performance with our state-of-the-art battery technology!

SPECIFICATIONS

VOLTAGE	18 volt
BATTERY CAPACITY	3,5 Ah
MEASURES	Length 119 mm, Width 76,9 mm, 49 mm
WEIGHT	0,506 kg
BATTERY CELLS	Li-ion pouch cells



SKU CODE	SKU DESCRIPTION
DCBP318S2-XJ	18V XR POWERSTACK STARTER KIT 2 X 3.5 AH
DCBP318-XJ	18V XR 3,5 AH POWERSTACK BATTERY

POWERSTACK™
BATTERY TECHNOLOGY

LITHIUM ION
DEWALT
18V
XR
POWER STACK
DEWALT
18V 5AH
XR
POWER STACK
+NEW
DEWALT
18V 3.5AH
XR
POWER STACK

POUCH CELL TECHNOLOGY

DEWALT POWERSTACK batteries have been developed using innovative pouch cell technology. While traditional batteries use cylindrical cells, the flat design of pouch cells results in less heat build-up and internal electrical resistance.

Which means DEWALT POWERSTACK batteries deliver more power for longer, maintaining a higher voltage without overheating during demanding applications. Reduced capacity loss in each charging cycle results in a longer total lifespan.

DEWALT
18V 5AH
XR
POWER STACK

50%* MORE POWER

A power tool battery for the toughest jobs, with higher voltage and higher current under load.

2X LIFESPAN**

Reduced capacity loss means the DEWALT POWERSTACK battery lasts twice as long.

DEWALT 3 ★★★ YEAR GUARANTEE

For the first time ever on a DEWALT battery, thanks to unmatched durability.

COMPATIBLE WITH THE FULL RANGE OF 18V XR TOOLS FOR UNBEATABLE PERFORMANCE


18V XR
METAL CHIP COLLECTOR
BRUSHLESS MOTOR
184 MM BLADE ACCEPTANCE
67 MM DEPTH OF CUT
ELECTRONIC BRAKE

Battery sold separately

CUTS UP TO 214 0.912 MM STEEL STUDS[1]

[1] Per charge, using DCBP518-XJ (5.0Ah) battery (sold seperately)

CUTS UP TO 32 METERS OF CORRUGATED DECKING*

*Per charge, using DCBP518-XJ (5.0Ah) battery (sold seperately)

INTEGRATED CHIP COLLECTOR

OUR MOST POWERFULL 18V METALCUTTING CIRCULAR SAW

18V XR METAL CUTTING CIRCULAR SAW

DCS383

SPECIFICATIONS

VOLTAGE	18 volt
BLADE SIDE	Right
BRUSHED / BRUSHLESS	Brushless
POWER OUTPUT (MWO)	1543 W
BLADE SIZE	184 x 20 mm
DEPTH OF CUT @ 90º	67 mm
NO LOAD SPEED	3900
BLADE VISIBILITY	Yes
LED WORK LIGHT	Yes
CHIP COLLECTION	Yes
WEIGHT (BARE) KG	4,8 kg

INCLUDED SAW BLADE

DT1044-QZ

184mm x 20mm x 48T Metal Cutting Circular Saw Blade For DCS383. included in both artnr.

SKU CODE	SKU DESCRIPTION
DCS383N-XJ	18V XR METAL CUTTING CIRCULAR SAW*
DCS383H2-QW	18V XR METAL CUTTING CIRCULAR SAW

*N VERSION COMES AS A BARE UNIT IN BRANDED CARTON WITH 48T TCT BLADE AND BLADE WRENCH.
**H2 VERSION COMES KITTED WITH 2 X DCBP518 5AH POWERSTACK BATTERIES, DCB1104 4AMP CHARGER, 48T TCT BLADE, BLADE WRENCH IN A TSTAK VI BOX.



355MM / 66 TOOTH CARBIDE TIPPED BLADE

CUTTING FERROUS AND NON FERROUS METALS

2200W MULTI CHOPSAW
DW872-QS


DUAL SWITCH ACTIVATION
ELECTRONIC BRAKE
NO VOLT
ONE SECOND CYCLE DELAY
ANTI-ROTATION SYSTEM
TRI-WING PLUNGER DESIGN

INCREASED USER DEMAND FOR SAFER GRINDERS

PART OF OUR

PERFORM PROTECT™

LINEUP

EQUIPPED WITH THE
ANTI-ROTATION SYSTEM

PERFORM PROTECT
DEWALT

54V XR FLEXVOLT®

DEWALT'S FIRST GRINDER FEATURING 2-HANDED OPERATION PROTECTION

CORDLESS GRINDERS FROM DEWALT 125 MM/ 180 MM/ 230 MM

54V XR FLEXVOLT®

PERFORM PROTECT™

SAFETY FEATURES BUILD IN:

- Electronic brake stops the wheel quickly when the trigger is released.
- Electronic clutch reduces the kickback reaction in the event of a pinch or stall.
- Electronic soft-start for a more controlled start-up
- Wireless Tool Control (DCG460) provides automatic connection between tool and applicable extractor for convenience/ease of use and superior dust extraction when used with DWE46229 dust shroud

WITH DEWALT®

THE TOUGH GET TOUGHER™

DCG418

125 MM DISC - Ø

54V XR FLEX VOLT

PERFORM PROTECT

NEW

DCG418SHD

125 MM DISC - Ø

54V XR FLEX VOLT

PERFORM PROTECT

DCG440

180 MM DISC - Ø

54V XR FLEX VOLT

PERFORM PROTECT

DCG460

230 MM DISC - Ø

54V XR FLEX VOLT

PERFORM PROTECT

WIRELESS TOOL CONTROL

54V XR FLEXVOLT ANGLE GRINDER

DCG418SHD

DEWALT
BRUSHLESS
54V
BRUSHLESS
9Ah
18V XR FLEX VOLT 54V

DEWALT'S FIRST 125 MM GRINDER FEATURING

2-HANDED OPERATION PROTECTION

The DEWALT anglegrinder with highest level of safety protection towards the enduser, fulfilling all parameters in the “control” function umbrella under the safety program in PERFORM&PROTECT. The 54V brushless motor gives enhanced power, efficiency and durability. Dual handed switching ensures the side handle is fitted and used for safe operation. Covers all the control safety functions with the safety program Perform&Protect 1. Kick Back Brake, 2. Overload Protection, 3. Anti Vibration side handle, 4. Soft start, 5. No Volt (The No-volt function stops the grinder restarting without the switch being cycled if there is a break in the power supply). The mesh debris cover on the housing restricts dust being sucked through the motor. When using a DCB547 Flexvolt battery you can increase power to 2300 watt compared using a DCB546 Flexvolt with performance of 2000 watt.

SPECIFICATIONS

VOLTAGE	54 Volt
PERFORM&PROTECT SAFETY	Yes
NO LOAD SPEED (MIN-1)	9000
GRINDING WHEEL DIAMETER	125 mm
SPINDLE DIAMETER	M14
WEIGHT WITHOUT BATTERY	2,4 kg

RELATED PRODUCTS

DEWALT
9Ah
18V XR FLEX VOLT 54V

DCB547

SKU CODE	SKU DESCRIPTION
DCG418SHDN-XJ*	54V XR FV SIDE HANDLE DETECT ANGLE GRINDER 125 MM TSTAK BARE
DCG418SHDX2-QW**	54V XR FV SIDE HANDLE DETECT ANGLE GRINDER 125 MM TSTAK 2 X 9.0 AH

*N VERSION COMES SUPPLIED AS BARE UNIT IN CARTON AND INCLUDES = 1 X 54V 125MM SIDE HANDLE DETECT ANGLE GRINDER (DCG418SHD), 1 X MECHANICALLY SWITCHED SIDE HANDLE, 1 X GRINDING GUARD, 1 X CUTTING GUARD, 1 X HEX-WRENCH
**X2 VERSIONS COMES SUPPLIED IN TSTAK II KIT BOX AND INCLUDE = 1 X 54V 125MM SIDE HANDLE DETECT ANGLE GRINDER (DCG418SHD), 1 X MECHANICALLY SWITCHED SIDE HANDLE, 1 X GRINDING GUARD, 1 X CUTTING GUARD, 1 X HEX-WRENCH, 1 X DCB118 8AMP CHARGER, 2 X DCB547 9AH FLEXVOLT BATTERIES.


CONCRETE
TOTAL SOLUTIONS
54V XR FLEX VOLT
PERFORM PROTECT
WIRELESS TOOL CONTROL

COOPERATION BETWEEN DCG460 (230MM GRINDER) AND CUTTING GUARD DWE46229 AND H-VAC DWV905H

2025 RANGE
ON 18V XR AND 54XR ANGLEGRINDERS

DCG407/
DCG408
(125 MM)

DCG413
(115 MM)

DCG405/
DCG405F
(125 MM)

DCG406/
DCG406P2LRT
(125 MM)

18V XR BRUSHLESS

PERFORM PROTECT

DCG409VS/
DCG416VS
(125 MM)

54V XR FLEX VOLT

PERFORM PROTECT

DCG418SHD/
DCG418
(125 MM)

54V XR FLEX VOLT

PERFORM PROTECT

DCG440
(180 MM)

54V XR FLEX VOLT

PERFORM PROTECT

DCG460
(230 MM)

PERFORMANCE

PERFORM PROTECT™

All 18V and 54V anglegrinders are Perform&Protect certified with safety functions, protecting the enduser when working!


18V XR
BRUSHLESS MOTOR
PERFORM&PROTECT
MESH SCREENS
SLIDE SWITCH OPERATION
DCG407
125 MM WHEEL SIZE
QUICK-CHANGE™ GUARD REMOVAL

*Maximum initial battery voltage (measured without a workload) is 20 volts. Nominal voltage is 18 volts.

8% LIGHTER
THAN DCG412 ANGLE GRINDER

OVERLOAD PROTECTION
HELP PREVENT TOOL FAILURE

18V XR

PERFORM PROTECT


18V XR
BRUSHLESS MOTOR
PERFORM&PROTECT
MESH SCREENS
PADDLE SWITCH OPERATION
DCG408
125 MM WHEEL SIZE
QUICK-CHANGE™ GUARD REMOVAL

*Maximum initial battery voltage (measured without a workload) is 20 volts. Nominal voltage is 18 volts.

NEW COMPACT 125MM 18V ANGLEGRINDERS

SIDESWITCH (DCG407) OR DEADMANSWITCH (DCG408) VERSION

18V XR BRUSHLESS 125MM ANGLE GRINDER

DCG407

18V XR

PERFORM PROTECT

New compact anglegrinder from DEWALT, which features specifications like “electronic clutch” which stops the disc, and protects the user and tool in an overload condition, a functionality which is a part of the Perform&Protect safety package. The brushless motor helps to deliver increased efficiency, increased power (840w) and longer tool life. Slim girth and low weight make this unit comfortable to use and easy to hold. The grinder fully approved to EN62841 standards with the inclusion of both the grinding guard and the additional/removable cutting guard. A perfect grinder for both construction and industrial applications.

SPECIFICATIONS

VOLTAGE	18 Volt
TRIGGER MODEL	Side switch
PERFORM&PROTECT SAFETY	Yes (electronic clutch)
WHEEL DIAMETER	125 mm
SPINDLE DIAMETER	M14
SPINDLE LENGTH	13,2 mm
WEIGHT WITHOUT BATTERY	1,61 kg

RELATED PRODUCTS

DCB182

SKU CODE	SKU DESCRIPTION
DCG407N-XJ	18V XR ANGLEGRINDER 125MM, P&P*
DCG407NT-XJ	18V XR ANGLEGRINDER 125MM, P&P**
DCG407M2T-QW	18V XR ANGLEGRINDER 125MM, P&P***

* N VERSION COMES SUPPLIED IN A CARTON WITH GRINDING AND REMOVABLE CUTTING GUARDS, SIDE HANDLE AND HEX WRENCH
** NT VERSION COMES SUPPLIED IN TSTAK WITH GRINDING AND REMOVABLE CUTTING GUARDS, SIDE HANDLE AND HEX WRENCH
*** M2T VERSION COMES SUPPLIED IN TSTAK WITH 2 X DCB182 4AH BATTERIES, DCB1104 4AMP CHARGER, GRINDING AND REMOVABLE CUTTING GUARDS, SIDE HANDLE AND HEX WRENCH

18V XR BRUSHLESS 125MM ANGLE GRINDER

DCG408

New compact anglegrinder from DEWALT, which features specifications like “electronic clutch” which stops the disc, and protects the user and tool in an overload condition, a functionality which is a part of the Perform&Protect safety package. The brushless motor helps to deliver increased efficiency, increased power (840w) and longer tool life. Slim girth and low weight make this unit comfortable to use and easy to hold. The grinder fully approved to EN62841 standards with the inclusion of both the grinding guard and the additional/removable cutting guard. A perfect grinder for both construction and industrial applications.

SPECIFICATIONS

VOLTAGE	18 Volt
TRIGGER MODEL	Deadman switch
PERFORM&PROTECT SAFETY	Yes (electronic clutch)
WHEEL DIAMETER	125 mm
SPINDLE DIAMETER	M14
SPINDLE LENGTH	13,2 mm
WEIGHT WITHOUT BATTERY	1,61 kg

RELATED PRODUCTS

DCB182

SKU CODE	SKU DESCRIPTION
DCG408N-XJ	18V XR ANGLEGRINDER 125MM, P&P*
DCG408NT-XJ	18V XR ANGLEGRINDER 125MM, P&P**

* N VERSION COMES SUPPLIED IN A CARTON WITH GRINDING AND REMOVABLE CUTTING GUARDS, SIDE HANDLE AND HEX WRENCH
** NT VERSION COMES SUPPLIED IN TSTAK WITH GRINDING AND REMOVABLE CUTTING GUARDS, SIDE HANDLE AND HEX WRENCH

THE NEW USB-C CABLE CHARGED LASERS IN TOWN!

USB
Type-C

DEWALT
DEWALT

DCLE14201GB-XJ
Cross Line Laser
+/- 3mm @ 10m

NEW

DCLE14301GB-XJ
3 X 180 Green
Cross Laser
+/- 3mm @ 10m

DCLE14201RB-XJ
Cross Line Laser
+/- 3mm @ 10m

NEW

DCLE14251GB-XJ
Cross Line + 5 spot
green beam Laser
+/- 3mm @ 10m

DEWALT CROSS LINE

CROSS LINE LASER

ALKALINE

DW088K-XJ

USB-C CROSS LINE LASER

USB Type-C

DCLE14201RB-XJ

CROSS LINE LASER

ALKALINE

DW088CG-XJ

USB-C CROSS LINE LASER

USB Type-C

DCLE14201GB-XJ

CROSS LINE LASER

12V XR

18V XR

DCE088NG18-QW
DCE088D1G18-QW

CROSS LINE LASER

18V XR

DCLE34021N-XJ
DCLE34021D1-QW

MULTI CROSS LINE LASER

ALKALINE

DW089CG-XJ

USB-C 3 X 180 CROSS LINE LASER

USB Type-C

DCLE14301GB-XJ

5 SPOT CROSS LINE LASER

12V XR

DCE0825D1G-QW

USB-C 5 SPOT+CROSS LINE LASER

USB Type-C

DCLE14251GB-XJ

5 SPOT CROSS LINE LASER

12V XR

18V XR

DCE825NG18-XJ

2 X 360° CROSS LINE LASER

12V XR

DCE0811D1R-QW

LASER RANGE 2025

2 X 360° CROSS LINE LASER

DCE0811D1G-QW

3 X 360° CROSS LINE LASER

DCE089D1G-QW

3 X 360° CROSS LINE LASER

DCE089D1R-QW

3 X 360° CROSS LINE LASER

DCE089NG18-XJ
DCE089D1G18-QW

3 X 360° CROSS LINE LASER

DCLE34031N-XJ
DCLE34031D1-QW

3 X 360° CROSS LINE LASER REMOTECTRL.

DCLE34035B-XJ
DCLE34035D1-QW

DETECTOR

- COMPATIBLE WITH PULSED DEWALT RED BEAM LINE LASERS

50 M RANGE

DE0892-XJ

DETECTOR

- COMPATIBLE WITH PULSED DEWALT GREEN BEAM LINE LASERS

100 M RANGE

DE0892G-XJ

LASER TYPES



2 X 360° LINE LASER



3 X 180° LINE LASER



3 X 360° LINE LASER



5 POINT CROSS LINE LASER



CROSS LINE LASER

RED BEAM

GREEN BEAM

DCLE14301GB-XJ

USB
Type-C


REMOTE-CONTROL PAIRING INDICATOR
MAGNETIC WALL BRACKET
TOGGLE BETWEEN LINES AND TURN BEAM ON/OFF
3 LEVEL BEAM BRIGHTNESS
BATTERY STATE OF CHARGE
MANUAL SLOPE MODE
RUBBER OVERMOLD HOUSING
INTEGRATED USB-C RECHARGABLE BATTERY††
DUAL TRIPOD MOUNT
FINE ADJUST KNOB

††The USB Implementers Forum owns a trademark registration for USB-C, and has not certified, endorsed, or approved this product.

USB-C 3 X 180° GREEN BEAM CROSS LASER

DCLE14301GB



DEWALT USB-C Laser - Introducing the USB 3x180 Green Beam Laser – your go-to solution for comprehensive coverage and precision. This advanced tool projects three 180-degree green laser lines, providing full room layout visibility with exceptional brightness and clarity. Perfect for large-scale projects, its green beam technology ensures superior visibility in any lighting condition. The USB rechargeable battery offers convenience and extended use, while the robust, compact design ensures durability and portability. Upgrade your toolkit with the USB 3x180 Green Beam Laser – precision, power, and performance in one sleek package.

SPECIFICATIONS

VOLTAGE	Li-ion battery / POWERSTACK™ Tech.
BEAM COLOR	Green
LINE DIAGRAM	Cross Line
LASER DIODE	Green, Class 2
WORKING RANGE	30 meter (100 meter with detector)
PULSE MODE	Yes
ACCURACY LINE	+/- 3mm @ 10m
COMPENSATION RANGE	± 4°
LEVELING TIME (SECONDS)	≤ 5s
IP RATING	IP65
RUNTIME	8 hours minimum
MOUNTING THREAD	1/4“ & 5/8” (integrated in Bracket)

HIGHLIGHT

LONG-RANGE VISIBILITY

UP TO 30 METERS VISUAL RANGE AND 100 METER RANGE USING DW0892G DETECTOR (SOLD SEPARATELY)

SKU CODE	SKU DESCRIPTION
DCLE14301GB-XJ*	USB-C 3 X 180 LINE BEAM LASER, GREEN

* THE KIT CONTAINS, COMPACT SOFT CASE, WALL MOUNT METAL PLATE, USB-C CABLE, WALL PLUG NOT INCLUDED.

DCLE14251GB-XJ

USB Type-C


REMOTE-CONTROL PAIRING INDICATOR
MAGNETIC WALL BRACKET
RUBBER OVERMOLD HOUSING
DEWALT
MANUAL SLOPE MODE
3 LEVEL BEAM BRIGHTNESS
INTEGRATED USB-C RECHARGABLE BATTERY††
DUAL TRIPOD MOUNT
FINE ADJUST KNOB

††The USB Implementers Forum owns a trademark registration for USB-C, and has not certified, endorsed, or approved this product.

USB-C CROSS LINE + 5 SPOT GREEN BEAM CROSS LASE

DCLE14301GB

USB
Type-C



DEWALT USB-C Laser - Introducing the USB Cross Line + 5 Spot Green Beam Laser – the ultimate precision tool for professionals. Featuring ultra-bright green laser technology, this device delivers unparalleled visibility, even in the brightest conditions. With its versatile cross line and 5-spot projection, you can tackle any alignment task with ease. The USB rechargeable battery ensures you're always powered up, while the durable, compact design makes it perfect for on-the-go use. Elevate your accuracy and efficiency with the USB Cross Line + 5 Spot Green Beam Laser – where precision meets convenience.

SPECIFICATIONS

VOLTAGE	Li-ion battery / POWERSTACK™ Tech.
BEAM COLOR	Green
LINE DIAGRAM	Cross Line / Spot
LASER DIODE	Green, Class 2
WORKING RANGE	30 meter (100 meter with detector)
PULSE MODE	Yes
ACCURACY LINE	+/- 3mm @ 10m
COMPENSATION RANGE	± 4°
LEVELING TIME (SECONDS)	≤ 5s
IP RATING	IP65
RUNTIME	8 hours minimum
MOUNTING THREAD	1/4“ & 5/8” (integrated in Bracket)

HIGHLIGHT

LONG-RANGE VISIBILITY
UP TO 30 METERS VISUAL RANGE AND 100 METER RANGE USING DW0892G DETECTOR (SOLD SEPARATELY)

SKU CODE	SKU DESCRIPTION
DCLE14251GB-XJ*	USB-C CROSS LINE + 5 SPOT BEAM LASER, GREEN

* THE KIT CONTAINS, COMPACT SOFT CASE, WALL MOUNT METAL PLATE, USB-C CABLE, WALL PLUG NOT INCLUDED.

LIMITED EDITION
McLaren FORMULA 1 TEAM
DEWALT

2025 RANGE

McLaren
FORMULA 1 TEAM

DEWALT

OFFICIAL TOOLS AND STORAGE PARTNER

FORMULA 1 TEAM
OFFICIAL TOOLS AND STORAGE PARTNER

DEWALT X MCLAREN F1 TEAM PRO BACKPACK ON WHEELS

THIS TOUGH BACKPACK FEATURES A TELESCOPIC HANDLE, DURABLE WHEELS, 1680 DENIER FABRIC, AN IP54 WATER-RESISTANT COMPARTMENT, 46 INDIVIDUAL POCKETS AND A SEPARATE LAPTOP AREA.


LIMITED EDITION
WATER RESISTANT COMPARTMENT

RESULT OF A SHARED DRIVE FOR PERFORMANCE

OUR PRO BACKPACK IS DESIGNED FOR YOUR CONVENIENCE, PERFECT FOR STORING AND MOVING YOUR TOOLS AND ACCESSORIES IN FAST PACED, HIGH PRESSURE ENVIRONMENTS.

GUARANTEED TOUGH.®

DEWALT X MCLAREN F1 TEAM PRO BACKPACK ON WHEELS


TELESCOPIC HANDLE
IP54 WATER-RESISTANT COMPARTMENT
DURABLE WHEELS
46 INDIVIDUAL POCKETS AND SEPARATE LAPTOP AREA
LIMITED EDITION
McLaren FORMULA 1 TEAM
DEWALT
WATER RESISTANT COMPARTMENT

RELATED PRODUCTS

DWST60122-1

PRO BACKPACK

DWST60104-9

20 IN. PRO
TOOL BAG

STORAGE RANGE



McLaren FORMULA 1 TEAM

DEWALT

OFFICIAL TOOLS AND STORAGE PARTNER

DEWALT X MCLAREN F1 TEAM 20IN. PRO TOOL BAG

OPTIMISE TOOL VISIBILITY AND ACCESSIBILITY WITH THE 20IN. PRO TOOL BAG. FEATURING A DURABLE 1680 DENIER FABRIC CONSTRUCTION, 33 INDIVIDUAL POCKETS AND AN IP54 WATER-RESISTANT COMPARTMENT, THIS LARGE-VOLUME SOFT STORAGE SOLUTION PROTECTS ITEMS AND KEEPS TOOLS CLOSE-AT-HAND.


LIMITED EDITION
McLaren
FORMULA 1 TEAM
DEWALT
WATER RESISTANT COMPARTMENT

RESULT OF A SHARED DRIVE FOR PERFORMANCE

OUR PRO TOOL BAG IS DESIGNED FOR YOUR CONVENIENCE, PERFECT FOR STORING AND MOVING YOUR TOOLS AND ACCESSORIES IN FAST PACED, HIGH PRESSURE ENVIRONMENTS.

GUARANTEED TOUGH.®

DEWALT X MCLARENF1 TEAM 20IN. PRO TOOL BAG


LIMITED EDITION
McLaren FORMULA 1 TEAM
DEWALT
WATER RESISTANT COMPARTMENT

IP54 WATER RESISTANT COMPARTMENT

1680 DENIER FABRIC CONSTRUCTION

DURABLE DESIGN PROTECTS TOOLS

LARGE VOLUME SOFT STORAGE

RELATED PRODUCTS

DWST60122-1

PRO BACKPACK

DWST60101-9

PRO BACKPACK
WITH WHEELS

STORAGE RANGE



GUARANTEED TOUGH.®

McLaren FORMULA 1 TEAM | DEWALT

OFFICIAL TOOLS AND STORAGE PARTNER

DEWALT X MCLAREN F1 TEAM PRO BACKPACK

THIS TOUGH AND VERSATILE PRO BACKPACK FEATURES DURABLE 1680 DENIER FABRIC, AN IP54 WATER-RESISTANT COMPARTMENT, 43 INDIVIDUAL POCKETS AND A SEPARATE LAPTOP AREA.


LIMITED EDITION
McLaren FORMULA 1 TEAM
DEWALT
WATER RESISTANT COMPARTMENT

RESULT OF A SHARED DRIVE FOR PERFORMANCE

OUR PRO BACKPACK IS DESIGNED FOR YOUR CONVENIENCE, PERFECT FOR STORING AND MOVING YOUR TOOLS AND ACCESSORIES IN FAST PACED, HIGH PRESSURE ENVIRONMENTS.

GUARANTEED TOUGH.®

DEWALT X McLAREN F1 TEAM PRO BACKPACK


IP54 WATER RESISTANT COMPARTMENT
SEPARATE LAPTOP AREA
43 INDIVIDUAL POCKETS
DURABLE 1680 DENIER FABRIC

RELATED PRODUCTS

DWST60101-9

PRO BACKPACK
ON WHEELS

DWST60104-9

20 IN. PRO
TOOL BAG

STORAGE RANGE



McLaren
FORMULA 1 TEAM
DEWALT
OFFICIAL TOOLS AND STORAGE PARTNER

DEWALT X McLAREN F1 TEAM 3 IN 1 TSTAK TOWER

THIS TSTAK™ STORAGE SET FEATURES 3 OF OUR BEST SELLING TSTAK™ BOXES: MOBILE STORAGE BOX, DEEP BOX AND ORGANIZER. ALL UNITS ARE WITH CERTIFIED IP54 RATING TO PROTECT YOUR TOOLS, ACCESSORIES AND FASTENINGS FROM WATER AND DUST IN THE TOUGHEST SITUATIONS.



RESULT OF A SHARED DRIVE FOR PERFORMANCE

THE HEAVY DUTY METAL LATCHES DELIVER INCREASED SECURITY AND DURABILITY AND THE SIDE STACKING LATCHES ENSURE COMPATIBILITY WITH THE ENTIRE TSTAK STORAGE SYSTEM.

GUARANTEED TOUGH.®

DEWALT X McLAREN F1 TEAM 3 IN 1 TSTAK TOWER


IP54 RATED
PROTECTS TOOLS FROM WATER AND DUST IN TOUGH ENVIRONMENTS
3 BEST-SELLING BOXES
ULTIMATE STORAGE SOLUTION FOR TOOLS AND ACCESSORIES
SIDE STACKING LATCHES
FULLY COMPATIBLE WITH THE TSTAK SYSTEM
HEAVY DUTY METAL LATCHES
ENHANCED SECURITY AND DURABILITY



RELATED PRODUCTS

DWST60122-1

PRO BACKPACK

DWST60104-9

20 IN. PRO
TOOL BAG

STORAGE RANGE



McLaren FORMULA 1 TEAM
DEWALT
OFFICIAL TOOLS AND STORAGE PARTNER

DEWALT X MCLAREN F1 TEAM 27.5IN. PRO DUFFLE BAG

OUR LARGEST SOFT STORAGE SOLUTION WITH CAPACITY FOR MULTIPLE POWER TOOLS, HAND TOOLS AND ACCESSORIES FEATURES AN EXTENDING HANDLE, DURABLE WHEELS AND AN ERGONOMIC CARRY TRAP AND HANDLE.

LIMITED EDITION
McLaren FORMULA 1 TEAM
DEWALT

RESULT OF A SHARED DRIVE FOR PERFORMANCE

OUR PRO DUFFLE BAG IS DESIGNED FOR YOUR CONVENIENCE, PERFECT FOR STORING AND MOVING YOUR TOOLS AND ACCESSORIES IN FAST PACED, HIGH PRESSURE ENVIRONMENTS.

GUARANTEED TOUGH.®

DEWALT X MCLAREN F1 TEAM 27.5IN. PRO DUFFLE BAG


LARGEST SOFT STORAGE SOLUTION
EXTENDING HANDLE OPTIMISING TRAVEL CONVENIENCE
LIMITED EDITION
McLaren FORMULA 1 TEAM
DEWALT
DURABLE WHEELS
ERGONOMIC CARRY TRAP

RELATED PRODUCTS

DWST60122-1

PRO BACKPACK

DWST60104-9

20 IN. PRO
TOOL BAG

STORAGE RANGE



McLaren FORMULA 1 TEAM | DEWALT

OFFICIAL TOOLS AND STORAGE PARTNER

DEWALT X McLAREN F1 TEAM

DCD85MP2T - 18V XR BRUSHLESS HAMMER DRILL DRIVER

The DEWALT x McLaren F1 Team range is the result of a shared drive for performance.
Our latest and most powerful brushless 2 speed Hammer Drill Driver that delivers up to 90Nm of torque in a compact 177mm body, engineered to give you the greatest performance on the toughest jobs. 2 speed and 14 torque settings give you the ultimate control over your drilling and fastening applications while the Anti-Rotation system detects bind-ups and shuts down the tool helping to protect you. An enhanced pivoting LED positioned on the foot offers greater visibility in dark and confined spaces.

GUARANTEED TOUGH.®

McLaren FORMULA 1 TEAM | DEWALT

OFFICIAL TOOLS AND STORAGE PARTNER

18V XR BRUSHLESS HAMMER DRILL DRIVER

TOOL FREE CHUCK
Full metal ratcheting chuck for increased grip strength

2 SPEED TRANSMISSION
For increased versatilty and control in applications

BRUSHLESS MOTOR
For long runtime and tool life

PIVOTING LED WORK LIGHT
3 positions and 3 modes including 20 minute torch feature

18V XR BATTERY TECHNOLOGY
Compatible with 250+ tools

90Nm of torque in a compact body for the toughest applications

2 speed & 15 torque settings for full control over drilling and fastening

SPECIFICATIONS

MAX. TORQUE	90 Nm
MAX. DRILING CAPACITY	Wood 55 / Metal 13 / Masonry 13 mm
NO LOAD SPEED DRILL	0 - 650 / 2000 rpm
BEATS PER MINUTE	34000 bpm
WEIGHT	1.3 kg

DCD85MP2T KIT INCLUDES

- **(1) DCD85M Brushless Hammer Drill Driver**
- **(2) DCB184 18V XR 5AH Battery**
- **(1) DCB1104 XR 4A Charger**
- **(1) TSTAK Compatible Kitbox**

KIT OPTIONS

DCD85MP2T

Copyright ©2022 DEWALT. The following are examples of trademarks for one or more DEWALT power tools and accessories: the yellow and black color scheme; the "D"-shaped air intake grill; the array of pyramids on the handgrip; the kit box configuration; and the array of lozenge-shaped humps on the surface of the tool.

GUARANTEED TOUGH.®

https://cee.DEWALT.global

McLaren
FORMULA 1 TEAM
DEWALT

OFFICIAL TOOLS AND STORAGE PARTNER

DEWALT
McLaren
McLaren
DEWALT 5
18V XR AH

DEWALT X McLAREN F1 TEAM

DCD85MP2T - 18V XR BRUSHLESS HAMMER DRILL DRIVER

The DEWALT x McLaren F1 Team range is the result of a shared drive for performance.
Our most compact 18V XR impact driver delivers 205Nm of torque in a 100mm compact body perfect for a wide range of applications across construction, industrial and automotive environments.
Other features include a 3 mode switch for enhanced control including Precision Drive which stops the material and fastener been damaged on precision jobs.

GUARANTEED TOUGH.®

McLaren
FORMULA 1 TEAM

DEWALT

OFFICIAL TOOLS AND STORAGE PARTNER

18V XR BRUSHLESS IMPACT DRIVER



IMPROVED BIT HOLDER
More durable design with less bit run out

COMPACT 100MM BODY
Offers the best access into tight spaces and the sbility to drill between 400mm stud centres

BRUSHLESS MOTOR
For long runtime and tool life

3 LED RING LIGHT
Delivers best in class visibility in any application

3 MODE SELECTOR
For enhanced control including Precision Drive

18V XR BATTERY TECHNOLOGY
Compatible with 250+ tools

205Nm of torque in a compact 100mm body allows access to tight spaces

DCD85MP2T

3 mode switch for enhanced control including Precision Drive

SPECIFICATIONS

MAX. TORQUE	205 Nm
NO LOAD SPEED	0 - 3250 rpm
IMPACT RATE	3800 ipm
MODE SELECT	3
WEIGHT	0.9 kg

DCF85MP2T KIT INCLUDES

(1) DCF85M Brushless Impact Driver
(2) DCB184 18V XR 5AH Battery
(1) DCB1104 XR 4A Charger
(1) TSTAK Compatible Kitbox

KIT OPTIONS

DCF85MP2T



Copyright ©2022 DEWALT. The following are examples of trademarks for one or more DEWALT power tools and accessories: the yellow and black color scheme; the "D"-shaped air intake grill; the array of pyramids on the handgrip; the kit box configuration; and the array of lozenge-shaped humps on the surface of the tool.

GUARANTEED TOUGH.®

https://cee.DEWALT.global

McLaren
FORMULA 1 TEAM

DEWALT

OFFICIAL TOOLS AND STORAGE PARTNER

DEWALT
McLaren
BRUSHLESS
DEWALT
McLaren
DEWALT
McLaren
DEWALT 5
18V XR AH
DEWALT
McLaren
BRUSHLESS
DEWALT
McLaren
DEWALT 5
18V XR AH

DEWALT X MCLAREN F1 TEAM

DCK200MP2T - 18V XR BRUSHLESS TWIN KIT

The DEWALT x McLaren F1 Team range is the result of a shared drive for performance.
Get the DEWALT x McLaren F1 Team 18V XR Brushless Hammer Drill Driver and Impact Driver packed together.

Kit Contains: DCD85M Hammer Drill Driver, DCF85M Impact Driver, 2 x DCB184 5AH Batteries, DCB1104 4 Amp Charger, TSTAK Kitbox.

GUARANTEED TOUGH.®

McLaren
FORMULA 1 TEAM

DEWALT

OFFICIAL TOOLS AND STORAGE PARTNER

18V XR BRUSHLESS TWIN KIT

DCD85M HAMMER DRILL DRIVER
Up to 90Nm of torque, 2 speed settings and 15 torque settings for complete control

TSTAK KITBOX
Durable and compatible with all products in the TSTAK range



DCF85M IMPACT DRIVER
205Nm of torque in a compact 100mm body allows access to tight spaces

18V XR BATTERY TECHNOLOGY
Compatible with 250+ tools

4 AMP CHARGER
Compatible with all 18V XR batteires



The DCD85M delivers up to 90Nm of torque in a compact 177mm body

The DCF85M is our most compact, most powerful 18V impact driver ever

DCD85M SPECIFICATIONS

MAX. TORQUE	90 Nm
MAX. DRILING CAPACITY	Wood 55 / Metal 13 / Masonry 13 mm
NO LOAD SPEED DRILL	0 - 650 / 2000 rpm
BEATS PER MINUTE	34000 bpm
WEIGHT	1.3 kg

DCF85M SPECIFICATIONS

MAX. TORQUE	205 Nm
NO LOAD SPEED	0 - 3250 rpm
IMPACT RATE	3800 ipm
MODE SELECT	3
WEIGHT	0.9 kg

DCK200MP2T KIT INCLUDES

(1) DCD85M Brushless Hammer Drill Driver
(1) DCF85M Brushless Impact Driver
(2) DCB184 18V XR Battery
(1) DCB1104 XR 4A Charger
(1) TSTAK Compatible Kitbox

Copyright ©2022 DEWALT. The following are examples of trademarks for one or more DEWALT power tools and accessories: the yellow and black color scheme; the "D"-shaped air intake grill; the array of pyramids on the handgrip; the kit box configuration; and the array of lozenge-shaped humps on the surface of the tool.

THE MCLAREN SOFTBAG STORAGE SERIES

DEWALT
WATER RESISTANT COMPARTMENT

ARE BUILD UPON THE DEWALT SOFT STORAGE FOR CONSTRUCTION.

DEWALT
WATER RESISTANT COMPARTMENT
DEWALT
WATER RESISTANT COMPARTMENT
DEWALT
WATER RESISTANT COMPARTMENT
DEWALT
WATER RESISTANT COMPARTMENT

ELECTRICAL
TOTAL SOLUTIONS

LASER HARDENED UNINSULATED PLIERS

NEW PLIER,
LASERHARDENDE DIAGONAL
CUTTING, 160MM
DWHT82796-0

NEW PLIER,
LASERHARDENDE
LONG NOSE, 200MM
DWHT82798-0

NEW PLIER,
LASERHARDENDE
COMBINATION,
160MM = DWHT82808-0
200MM= DWHT82809-0

ELECTRICAL
TOTAL SOLUTIONS

Introducing our cutting-edge technology designed for maximum durability and performance! Our laser-hardened cutting edge ensures exceptional strength, minimizing wear in vulnerable areas like the tip and craw. The black oxide finish adds extra longevity, while the improved hardness depth, rated at 61±2 HRC with a depth of 1.5±0.5mm, guarantees superior resilience. Experience unparalleled comfort and control with our 2-zone comfort grips, contoured for optimal cushioning.

DWHT82813-0

NEW PLIER 3 PC SET, LASERHARDENDE,
DIAGONAL PLIER 160MM +, LONG NOSE PLIER
200MM +, COMBINATION PLIER 160MM

SKU CODE	SKU DESCRIPTION
DWHT82796-0	PLIER, LASERHARDENDE DIAGONAL CUTTING, 160MM
DWHT82798-0	PLIER, LASERHARDENDE LONG NOSE, 200MM
DWHT82808-0	PLIER, LASERHARDENDE COMBINATION, 160MM
DWHT82809-0	PLIER, LASERHARDENDE COMBINATION, 200MM
DWHT82813-0	PLIER, LASERHARDENDE 3 PC SET

NEW – LASER HARDENED UNINSULATED PLIERS

DEWALT
DWHT82792

ELECTRICAL
TOTAL SOLUTIONS

VDE INSULATED LASER HARDENED PLIERS

DEWALT
1000V

NEW PLIER, VDE, LASERHARDENDE DIAGONAL CUTTING, 160MM

DWHT82801-0

DEWALT
1000V

NEW PLIER, VDE, LASERHARDENDE LONG NOSE, 200MM

DWHT82804-0

DEWALT
1000V

NEW PLIER, VDE, LASERHARDENDE COMBINATION PLIER 160MM

DWHT82810-0

ELECTRICAL TOTAL SOLUTIONS

SPECIFICATIONS

- LASER HARDENED CUTTING EDGE FOR MAXIMUM STRENGTH WHICH REDUCES LOW HARDNESS IN DAMAGE-PRONE AREAS LIKE TIP/CRAW
- BLACK OXIDE TRIM FOR ADDITIONAL DURATION
- IMPROVED HARDNESS DEPTH WITH HARDNESS 61±2 HRC AND DEPTH IS 1.5±0.5MM.
- HIGH-VISIBILITY VDE ICONS, EASILY SIGNIFIES 1000 VOLT CERTIFIED
- PROTECTIVE GUARD
- PREMIUM 3-SHOT COMFORT GRIPS FOR CONTOURED FOR OPTIMAL CUSHION AND CONTROL.

DWHT82811-0

DEWALT
3
1000V RATED
1000V

NEW PLIER, VDE, LASERHARDENDE 3 PIECES SET

SKU CODE	SKU DESCRIPTION
DWHT82801-0	PLIER, VDE, LASERH DIAGONAL CUTTING, 160MMM
DWHT82804-0	PLIER, VDE, LASERH LONG NOSE, 200MM
DWHT82810-0	PLIER, VDE, LASERH COMBINATION, 160MM
DWHT82811-0	PLIER, VDE, LASERH 3 PCS SET

NEW – VDE INSULATED LASER HARDENED PLIERS



VDE

ELECTRICAL
TOTAL SOLUTIONS

84 PC_1/4” AND 3/8”METRIC AND IMPERIAL MECHANICS TOOL SET

DWMT81531-1



DEWALT AUTO

MECHANICAL TOTAL SOLUTIONS™

This 84-Piece Mechanics Tool Set includes a wide selection of sockets and driver bits to help complete most tasks. The set comes in a durable blow molded storage case with sturdy metal latches. 72-tooth ratchets with quick-release button make it easy to quickly change sockets while working. Full-polish chrome provides corrosion resistance and gives these tools a classic look.

SPECIFICATIONS

1/4 IN. DRIVE 6- POINT SOCKETS: (SAE) - 5/32 in, 3/16 in, 7/32 in, 1/4 in, 9/32 in, 5/16 in, 11/32 in, 3/8 in, 7/16 in, 1/2 in (MM) - 4mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm

1/4 IN. DRIVE 6-POINT DEEP SOCKETS: (SAE) - 1/4 in, 5/16 in, 11/32 in, 3/8 in, 7/16 in, 1/2 in (MM) - 8mm, 9mm, 10mm, 11mm, 12mm, 13mm

3/8 IN. DRIVE 6-POINT SOCKETS: (SAE) - 1/4 in, 5/16 in, 3/8 in 7/16 in, 1/2 in, 9/16 in, 5/8 in, 11/16 in, 3/4 in, 13/16 in (mm) –10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 21mm

3/8 IN. DRIVE 6-POINT DEEP SOCKETS: (SAE) - 9/16 in, 5/8 in, 11/16 in, 3/4 i. (MM) - 14mm, 15mm, 16mm, 17mm

ACCESSORIES: 1/4 in Drive 3 in Extension Bar 3/8 in Drive Female to 1/4 in Drive Male Adapter 3/8 in Drive 3 in extension Bar 3/8 in Drive 5/8 in & 13/16 in Spark Plug Sockets

SPECIALTY BITS/DRIVER: 16 Specialty Bits Bit Driver - 1/4 in. & 3/8 in Drive Pear Head Ratchets

SKU CODE	SKU DESCRIPTION
DWMT81531-1	84 PC_1/4” AND 3/8”METRIC AND IMPERIAL MECHANICS TOOL SET

MECHANICAL
TOTAL SOLUTIONS
DEWALT
0.0
38.0
18V XR LI-ION
DEWALT
AUTO

247 PC_METRIC AND IMPERIAL MECHANICS TOOL SET

DWMT81535-1

This 247 pc. Mechanics Tool Set includes ratchets and sockets, a bit driver with specialty and nut bits, combination wrenches, and hex keys to handle most jobs under the hood or elsewhere. A durable case featuring metal latches provides organization and easy storage for travel. The 72 tooth count ratchets are built for efficiency with a quick-release button to easily attach and remove sockets. These tools feature a full polish chrome finish for corrosion resistance.

SKU CODE	SKU DESCRIPTION
DWMT81535-1	247 PC_METRIC AND IMPERIAL MECHANICS TOOL SET

MECHANICAL
TOTAL SOLUTIONS
™

SPECIFICATIONS

1/4 IN. DRIVE 6-POINT SOCKETS: (SAE) - 5/32 in, 3/16 in, 7/32 in, 1/4 in, 9/32 in, 5/16 in, 11/32 in, 3/8 in, 7/16 in, 1/2 in, 9/16 in (mm) - 4mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm

NUT BITS: (SAE) - 5/32 in., 3/16 in., 7/32 in., 1/4 in., 9/32 in., 5/16 in., 11/32 in., 3/8 in., 7/16 in.(mm) - 4mm, 5mm, 6mm, 7mm, 8mm, 10mm

SPECIALTY BITS DRIVER / ADAPTER: (SAE) - 1/4 in, 5/16 in, 3/8 in 7/16 in, 1/2 in, 9/16 in, 5/8 in, 11/16 in, 3/4 in, 13/16 in (mm) –10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 21mm

RATCHETS: (1/4 in., 3/8 in. & 1/2 in. drive pear head ratchet

1/4 IN. DRIVE 6-POINT DEEP SOCKETS: (SAE) - 5/32 in, 3/16 in, 1/4 in, 9/32 in, 5/16 in, 11/32 in, 3/8 in, 7/16 in, 1/2 in (mm) - 4mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm

3/8 IN. DRIVE 6-POINT SOCKETS: (SAE) - 1/4 in, 5/16 in, 3/8 in, 7/16 in, 1/2 in, 9/16 in, 5/8 in, 11/16 in, 3/4 in, 13/16 in, 7/8 in (mm) - 10mm, 11mm, 12mm,13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 21mm

3/8 IN. DRIVE 6-POINT DEEP SOCKETS: (SAE) - 1/4 in, 5/16 in, 3/8 in, 7/16 in, 1/2 in, 9/16 in, 5/8 in, 11/16 in, 3/4 in, 13/16 in, 7/8 in (mm) - 10mm, 11mm, 12mm,13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 21mm

3/8 IN. DRIVE BIT SOCKETS: hex (SAE) - 5/32 in, 3/16 in,1/4 in, 5/16 in hex (mm) - 4mm, 5mm, 6mm, 7mm, 8mm torx - # 10, 15, 20, 25, 27, 30, 40, 45

1/2 IN. DRIVE 6-POINT SOCKETS: (SAE) - 7/16 in, 1/2 in, 9/16 in, 5/8 in, 11/16 in, 3/4 in, 13/16 in, 7/8 in, 15/16 in, 1 in (mm) – 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 21mm, 22mm, 24mm

1/2 IN. DRIVE 6-POINT DEEP SOCKETS: (SAE) - 11/16 in, 3/4 in, 13/16 in, 7/8 in, 15/16 in (mm.) - 17mm, 18mm, 19mm, 21mm, 22mm

COMBINATION WRENCHES: (SAE) - 11/32 in, 3/8 in, 7/16 in, 1/2 in, 9/16 in, 5/8 in (mm) - 10mm, 11mm, 13mm, 14mm, 15mm, 16mm

ACCESSORIES: 1/4 in. Drive 3 in. & 6 in. extension bars, 1/4 in. drive female to 3/8 in. drive male adapter 3/8 in. drive 3 in. & 6 in. extension bars. 3/8 in. drive 5/8 in., 3/4 in. & 13/16 in. spark plug sockets 3/8 in. drive female to 1/4 in. drive male adapter 1/2 in. drive 5 in. extension bars, 1/2 in. drive female to 3/8 in. drive male adapter

341 PC_METRIC AND IMPERIAL MECHANICS TOOL SET

DWMT45341-1



ORGANIZE TOOLS IN THREE TRAYS

EACH MEASURING 10-1/4 x 21-1/2 x 2 IN.

MECHANICAL™ TOTAL SOLUTIONS

DEWALT® AUTO

This 341 pc. Mechanics Tool Set has a comprehensive offering of ratchets, sockets, wrenches, and accessories for a variety of uses. The included sockets offer DirectTorque™ Technology for greater contact with the flat surface area of fasteners. The three 72-tooth count ratchets allow for a 5-degree arc swing for maneuverability in restricted areas. These mechanics tools are housed in three trays to stay organized in your garage or truck. Full polish chrome for corrosion resistance. Includes three 72 tooth count ratchets which allow for a 5 degree arc swing for maneuverability in restricted areas.

SKU CODE	SKU DESCRIPTION
DWMT45341-1	341 PC_METRIC AND IMPERIAL MECHANICS TOOL SET

MECHANICAL
TOTAL SOLUTIONS
DEWALT
18V
XR
5.0 AH

SPECIFICATIONS

1/4 IN. DRIVE 6 PT SOCKETS: (SAE) – 5/32 in, 3/16 in, 7/32 in, 1/4 in, 9/32 in, 5/16 in, 11/32 in, 3/8 in, 7/16 in, 1/2 in, 9/16 in, (mm) – 4mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm

COMBINATION WRENCHES: (SAE) – 1/4”, 9/32”, 5/16”, 3/8”, 7/16”, ½”, 9/16”, 5/8”, (MM) – 6mm, 7mm, 8mm, 10mm, 12mm, 13mm, 14mm, 15mm

EXTENSIONS: 1/4” Drive 3” & 6” Extension Bars, 3/8” Drive 3” & 6” Extension Bars, 1/2” Drive 5” Extension Bars

SPARK PLUG SOCKETS: 3/8” Drive 5/8” & 13/16” Spark Plug Sockets

UNIVERSAL JOINTS: 1/4” Drive, 3/8” Drive, 1/2” Drive 28 Hex Keys, 99 Specialty Bits, 1 Spinner Handle, 1 Bit Adapter

PEAR HEAD RATCHETS: (SAE) – 5/32 in., 3/16 in., 1/4 in., 9/32 in., 5/16“, 11/32”, 3/8 in., 7/16 in., 1/2“, 9/16”, (MM) – 4mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm

1/4 IN. DRIVE 6 PT. DEEP SOCKETS: 1/4”, 3/8”, & 1/2” 1/4 in. Drive 6 pt. Deep Sockets: (SAE) – 5/32 in., 3/16 in., 1/4 in., 9/32 in., 5/16“, 11/32”, 3/8 in., 7/16 in., 1/2“, 9/16”, (MM) – 4mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm

1/4 IN. DRIVE 12 PT SOCKETS: (SAE) – 5/32 in., 3/16 in., 7/32 in., 1/4 in., 9/32 in., 5/16 in., 11/32 in., 3/8 in., 7/16 in., 1/2“, 9/16”, (MM) – 4mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm

3/8 IN. DRIVE 6 PT SOCKETS: (SAE) – 1/4 in., 5/16 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4“, 13/16”, 7/8”, (MM) – 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 21mm

3/8 IN. DRIVE 6 PT DEEP SOCKETS: (SAE) – 1/4 in., 5/16 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4“, 13/16”, 7/8”, (MM) – 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 21mm

3/8 IN. DRIVE 12 PT SOCKETS: (SAE) – 1/4 in., 5/16 in., 3/8 in., 7/16 in., 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4“, 13/16”, 7/8”, (MM) – 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 21mm

1/2 IN. DRIVE 6 PT SOCKETS: (SAE) – 1/2 in., 9/16 in., 5/8 in., 11/16 in., 3/4“, 13/16”, 7/8”, 15/16”, 1 in, (MM) – 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 21mm, 22mm, 24mm

1/2 IN. DRIVE 6 PT DEEP SOCKETS: (SAE) –1/2”, 9/16”, 5/8”, 11/16 in., 3/4“, 13/16”, 7/8”, 15/16”, 1 in, (MM) –14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 21mm, 22mm, 24mm

1/2 IN. DRIVE 12 PT SOCKETS: (SAE) –1/2”, 9/16”, 5/8”. 11/16 in., 3/4“, 13/16”, 7/8”, 15/16”, 1 in, (MM) – 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 21mm, 22mm, 24mm

MODULAR RIGHT ANGLE ATTACHMENT WITH LED LIGHT

DTLRA-QZ


FORGED GEARS FOR DURABILITY
IMPACT READY®
For use in impact drivers
MAGNETIC CHUCK FOR FASTENER RETENTION
RECHARGEABLE ONBOARD LED LIGHT
Up to 3 hours of continuous runtime*
PART OF THE MODULAR SYSTEM FOR ULTIMATE VERSATILITY
*LED is usable for 3 hours of runtime on a full charge.

Illuminate workspaces and take on challenging jobs using the modular right-angle attachment with LED light. Engineered with forged gears for durability, this dual function DEWALT accessory delivers long life in tough applications. Featuring an ultra-bright LED light and a 38mm head height, this modular right-angle attachment offers maneuverability and additional visibility in confined areas.

SPECIFICATIONS

VOLTAGE	5 Volt
HEAD HEIGHT	38 mm
SIDE HANDLE & USB CABLE INCLUDED	Yes
BATTERY TYPE	Li-Ion
LUMENS	45

RELATED PRODUCTS

DT20500-QZ

DT20502-QZ

SKU CODE	SKU DESCRIPTION
DTLRA-QZ	IMPACT LED RIGHT ANGLE ATTACHMENT

VISIBILITY IN LOW-LIGHT WORKSPACES



IMPACT CONNECT™ NUT RUNNER ATTACHMENT

DT20562-QZ


6-IN-1
6 NUT SIZES, 4 ROD SIZES, ONE TOOL (M6-M12 THREADED ROD)
UP TO 45 KG LIFT CAPACITY
DEWALT
360° ROTATION
RESET FEATURE
QUICK CHANGE BRACE

Work fast and save time on threaded rod applications with the IMPACT CONNECT™ Nut Runner Attachment. This attachment is 3X faster than running nuts by hand and offers a lifting capacity of up to 45 kg. Featuring the revolutionary quick-change system, the IMPACT CONNECT™ Nut Runner Attachment connects to impact drivers in seconds and allows you to seamlessly switch between driving screws and running nuts without additional interruptions. With a split socket design that enables access to trapped nuts, the IMPACT CONNECT™ Nut Runner Attachment is ideally suited for mechanical, electrical, or plumbing jobs utilizing trapeze systems, cable trays, or other threaded rod ceiling suspension systems.

SPECIFICATIONS

LIFT CAPACITY	45 kg
ROD SIZES	M6-M8-M10-M12

RELATED PRODUCTS

DT20560-QZ

DT20563-QZ

SKU CODE	SKU DESCRIPTION
DT20562-QZ	IMPACT CONNECT NUT RUNNER

SPEED THAT MAKES AN IMPACT

DEWALT
7/8"
IMPACT CONNECT™
IMPACT ACCESSORIES FOR THE TRADES

BE THE FIRST TO HEAR DEWALT NEWS

WELCOME TO MYDEWALT

Have a tough love for tools? Serious about your tools? Then why not be part of our community that takes this passion to the max? Joining lets you unlock extended tool warranties, gives quick access to news and events, and helps you easily see your tool inventory.

WHY JOIN?

As a MYDEWALT user, you can extend the warranty on some of your DEWALT tools to 3 years. Just subscribe at MYDEWALT, follow the instructions on how to register your new product and add it to your Tool Overview within 4 weeks of purchase.

- Register products for an extended guarantee – up to 3 years
- Get the latest news, updates, and deals as soon as they're available
- Leave reviews on products
- Be part of the community

CREATE AN ACCOUNT

Already registered? Sign in here
HTTPS://CEE.DEWALT.GLOBAL/
MY-DEWALT

---

https://cee.DEWALT.global

The yellow and black colour scheme is used on DEWALT Power Tools and Accessories as a trademark. DEWALT cannot be held liable for any inaccuracies of description or illustration and reserve the right to change specifications without notification.

All prices in the leaflet are recommended retail prices (RRP) in Euro ex and incl VAT.

Be the first to see product news and special offers from DEWALT. Register at MYDEWALT

REGISTER AT

MY DEWALT®